



**CERTIFICATE OF ANALYSIS**

**SILLIKER, Inc.**  
**Southern California Laboratory**  
6360 Gateway Drive, Cypress, CA 90630  
Tel. 877-777-6375 Fax. 714-226-0009  
Email: [getresults-sw@mxns.com](mailto:getresults-sw@mxns.com)

<b>COA No:</b>	SCA-45607335-0
<b>Supersedes:</b>	None
<b>COA Date</b>	1/28/22
<b>Page 8 of 10</b>	

<b>Received From:</b>	Kansas City, MO
<b>Received Date:</b>	1/20/22

<b>Location of Test: (except where noted)</b>
Cypress, CA

**TO:**  
Mr. Zane M. Christopher  
Director of Quality Assurance  
Lost Empire Herbs  
6401 Warner Avenue, Apt#129  
Huntington Beach, CA 92647

**Analytical Results**

**Laboratory ID:** 416019730    **Condition Rec'd:** NORMAL    **Temp Rec'd (°C):** 20.0  
**Desc. 1:** BANT07JAN22  
**Desc. 2:** Ant

<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Method Reference</u>	<u>Test Date</u>	<u>Loc.</u>
* ICP MS Heavy Metals (4 analytes)			AOAC2015.01Mod<2232:	1/27/22	BRN
Arsenic	0.33	ppm (w/w)			
Cadmium	0.119	ppm (w/w)			
Lead	0.38	ppm (w/w)			
Mercury	0.005	ppm (w/w)			
E. coli - Enrichment	Negative	/10g	Current USP/NF, 62	1/23/22	
Salmonella - USP	Negative	/10g	Current USP/NF, 2022	1/23/22	
Total Microbial Count - USP	1100	/g	Current USP/NF, 61	1/23/22	
Yeast and Mold - USP			Current USP/NF, 61	1/25/22	
Yeast	30	/g			
Mold	60	/g			

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Merieux NutriSciences Terms and Conditions for Services apply.