



Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com



Certificate of Analysis

Client Information

Lost Empire Herbs
8301 NW 101st Ter. Ste. #1
Kansas City, MO 64153
USA
831-334-0284

Sample Information

ARL ID: 651683
Date Received: 1/6/2023
Description: Black Ant
Lot#: BANT19DEC22

Results

| Analysis | Method | †MDL / LOQ | Specification | Results | UOM | Lab ID |
|-----------------------------------|-------------------|------------|---------------|---------------|-----------|--------|
| <u>Complete Micro Profile, HM</u> | USP, AOAC, ICP-MS | | | | | 1 |
| Total Plate Count | USP <2021> | 100 | Record Only | 1,000 | cfu's/g | 1 |
| Coliforms | AOAC 991.14 | 10 | Record Only | None Detected | cfu's/g | 1 |
| E. coli | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Staphylococcus aureus | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Salmonella | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Yeast | USP <2021> | 100 | Record Only | None Detected | cfu's/g | 1 |
| Mold | USP <2021> | 100 | Record Only | None Detected | cfu's/g | 1 |
| <u>Heavy Metals</u> | ARL ICPMS 8.016 | | | | | 1 |
| Arsenic (As) | ARL ICPMS 8.016 | 0.001 | Record Only | 0.194 | ppm | 1 |
| Cadmium (Cd) | ARL ICPMS 8.016 | 0.001 | Record Only | 0.095 | ppm | 1 |
| Mercury (Hg) | ARL ICPMS 8.016 | 0.001 | Record Only | 0.004 | ppm | 1 |
| Lead (Pb) | ARL ICPMS 8.016 | 0.001 | Record Only | 0.540 | ppm | 1 |

†Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it

Form: arlcoa031201a Report: 651683

experience • professionalism • value

Released by: Spencer Ashby

Printed on: 1/11/2023 5:34:27 PM

Date Released: 1/11/2023



Results

| Analysis | Method | †MDL / LOQ | Specification | Results | UOM | Lab ID |
|----------|--------|------------|---------------|---------|-----|--------|
|----------|--------|------------|---------------|---------|-----|--------|

means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

