

# CERTIFICATE OF ANALYSIS



12661 HOOVER STREET. GARDEN GROVE, CA 92841 | P. 714-754-4372 | F. 714-668-9972 | WWW.ALKEMIST.COM

**Report Issued To:** Lost Empire Herbs  
8301 NW 101st Ter.  
Kansas City MO 64153-2321  
Untied States

**Sample Name:** Mucuna  
**Description:** Powdered extract; Light brown powder  
**Lot #:** BIMUC26JUN23  
**AL #:** 23219CIN\_1  
**Analysis ID:** 208015  
**Received:** 08/07/23

## Determination of Pesticide Content by USP <561>

Compound Name	Amount (mg/kg)	USP <561> Limit (mg/kg)	Result
Acephate*	<0.1	0.1	Pass
Alachlor **	<0.05	0.05	Pass
Aldrin and Dieldrin (sum of) **	<0.05	0.05	Pass
Azinphos Ethyl *	<0.1	0.1	Pass
Azinphos Methyl *	<1	1	Pass
Bromophos Ethyl **	<0.05	0.05	Pass
Bromophos Methyl **	<0.05	0.05	Pass
Bromopropylate **	<3	3	Pass
Chlordane (sum of <i>cis</i> -, <i>trans</i> -, and oxychlordane) **	<0.05	0.05	Pass
Chlorfenvinphos **	<0.5	0.5	Pass
Chlorpyrifos Ethyl **	<0.2	0.2	Pass
Chlorpyrifos Methyl **	<0.1	0.1	Pass
Chlorthal Dimethyl **	<0.01	0.01	Pass
Cyfluthrin (sum of) **	<0.1	0.1	Pass
$\lambda$ -Cyhalothrin **	<1	1	Pass
Cypermethrin and isomers (sum of) **	<1	1	Pass
DDT (sum of <i>o,p'</i> -DDE, <i>p,p'</i> -DDE, <i>o,p'</i> -DDT, <i>p,p'</i> -DDT, <i>o,p'</i> -TDE, and <i>p,p'</i> -TDE) **	<1	1	Pass
Deltamethrin *	<0.5	0.5	Pass
Diazinon *	<0.5	0.5	Pass
Dichlofluanid *	<0.1	0.1	Pass
Dichlorvos *	<1	1	Pass
Dicofol **	<0.5	0.5	Pass
Dimethoate and omethoate (sum of) *	<0.1	0.1	Pass
Endosulfan (sum of isomers and endosulfan sulphate) **	<3	3	Pass
Endrin **	<0.05	0.05	Pass
Ethion *	<2	2	Pass
Etrimphos *	<0.05	0.05	Pass
Fenchlorophos (sum of fenchlorophos and fenchlorophos-oxon) **	<0.1	0.1	Pass
Fenitrothion **	<0.5	0.5	Pass
Fenpropathrin *	<0.03	0.03	Pass
Fensulfothion (sum of fensulfothion, fensulfothion-oxon, fensulfothion-oxon sulfone, and fensulfothion sulfone) *	<0.05	0.05	Pass
Fenthion (sum of fenthion, fenthion-oxon, fenthion-oxon sulfone, fenthion-oxon sulfoxide, fenthion sulfone, and fenthion-sulfoxide) *	<0.05	0.05	Pass
Fenvalerate **	<1.5	1.5	Pass
Flucythrinate **	<0.05	0.05	Pass
$\tau$ -Fluvalinate **	<0.05	0.05	Pass
Fonophos *	<0.05	0.05	Pass
Heptachlor (sum of heptachlor, <i>cis</i> -heptachlorepoxyde, and <i>trans</i> -heptachlorepoxyde) **	<0.05	0.05	Pass
Hexachlorobenzene **	<0.1	0.1	Pass
Hexachlorocyclohexane (sum of isomers $\alpha$ -, $\beta$ -, $\delta$ -, and $\epsilon$ -) **	<0.3	0.3	Pass
Lindan ( $\gamma$ -hexachlorocyclohexane) **	<0.6	0.6	Pass
Malathion and malaoxon (sum of) *	<1	1	Pass
Mecarbam *	<0.05	0.05	Pass
Methacriphos *	<0.05	0.05	Pass
Methamidophos *	<0.05	0.05	Pass
Methidathion *	<0.2	0.2	Pass
Methoxychlor **	<0.05	0.05	Pass

**Analysis Date:** 09/01/23

**Analyzed By:** L Brown

**Authorized By:** Anthony Fontana,  
Laboratory Director

Compound Name	Amount (mg/kg)	USP <561> Limit (mg/kg)	Result
Mirex **	<0.01	0.01	Pass
Monocrotophos *	<0.1	0.1	Pass
Parathion-ethyl and paraoxon-ethyl (sum of) *	<0.5	0.5	Pass
Parathion-methyl and paraoxon-methyl (sum of) **	<0.2	0.2	Pass
Pendimethalin *	<0.1	0.1	Pass
Pentachloroanisole **	<0.01	0.01	Pass
Permethrin and isomers (sum of) **	<1	1	Pass
Phosalone *	<0.1	0.1	Pass
Phosmet *	<0.05	0.05	Pass
Piperonyl Butoxide *	<3	3	Pass
Pirimiphos Ethyl *	<0.05	0.05	Pass
Pirimiphos-methyl (sum of pirimiphos-methyl and <i>N</i> -desethyl-pirimiphos-methyl)**	<4	4	Pass
Procymidone **	<0.1	0.1	Pass
Profenophos *	<0.1	0.1	Pass
Prothiophos **	<0.05	0.05	Pass
Pyrethrum (sum of cinerin I, cinerin II, jasmolin I, jasmolin II, pyrethrin I, and pyrethrin II) *	<3	3	Pass
Quinalphos *	<0.05	0.05	Pass
Quintozene (sum of quintozene, pentachloraniline, and methyl pentachlorophenyl sulfide) **	<1	1	Pass
S-421 **	<0.02	0.02	Pass
Tecnazene **	<0.05	0.05	Pass
Tetradifon **	<0.3	0.3	Pass
Vinclozolin **	<0.4	0.4	Pass
Bromide, Inorganic (Calculated as Bromide Ion) †	<125	125	Pass
Dithiocarbamates (Expressed as CS <sub>2</sub> ) ‡	<2	2	Pass

**Chromatographic Conditions (\*):**

Method: ATM-815-0308  
 Chromatographic Instrument: UPLC  
 Ionization Method: Electrospray Ionization  
 Mass Spectrometer: Triple Quadrupole, MRM Mode

**Chromatographic Conditions (\*\*):**

Method: ATM-815-0308  
 Chromatographic Instrument: GC  
 Ionization Method: Atmospheric Pressure Gas Chromatography  
 Mass Spectrometer: Triple Quadrupole, MRM Mode

**Chromatographic Conditions (†):**

Method: ATM-815-0308  
 Chromatographic Instrument: UPLC  
 Ionization Method: Electron Ionization  
 Mass Spectrometer: Triple Quadrupole, MRM Mode

**Chromatographic Conditions (‡):**

Method: ATM-815-0308  
 Chromatographic Instrument: GC  
 Ionization Method: Electron Ionization  
 Mass Spectrometer: Triple Quadrupole, SIM Mode

**Analysis Date: 09/01/23**
**Analyzed By: L Brown**
**Authorized By: Anthony Fontana,  
Laboratory Director**

**Sample Preparation (\* and \*\*):**

Mixed sample well. Ground to a fine powder or composited the contents of 10 capsules if needed. Transferred 500 mg of sample to a 15 mL centrifuge tube. Added 5.0 mL of extraction solvent and vortexed 30 seconds to mix. Sonicated for 30 minutes at room temperature. Let cool and centrifuged for 5 minutes at 4,000 RPM. Transferred 1 mL of supernatant to a dSPE tube and mixed at 15 Hz for 1 minute. Centrifuged at 10,000 RPM for 2 minutes. Transferred to vials for analysis.

**Sample Preparation (†):**

Mixed sample well. Ground to a fine powder or composited the contents of 10 capsules if needed. Transferred 500 mg of sample to a 15 mL centrifuge tube. Added 10 mL of extraction solvent. Vortexed 30 seconds to mix. Shook for 30 minutes. Filtered through 0.45 µm PES filter into a vial for analysis.

**Sample Preparation (±):**

Mixed sample well. Ground to a fine powder or composited the contents of 10 capsules if needed. Transferred 500 mg of sample to a headspace vial. Added 1 mL of internal standard solution and 1.5 mL of tin (II) chloride solution. Crimped cap immediately and vortexed 30 seconds to mix.

**Report Summary:**

Conclusion:	This "Mucuna" test sample meets the limits set forth in USP <561> Pesticide Residue Analysis.
OOS Reference:	N/A
Notes:	N/A
Work Instruction Reference:	22223 Br 22723 DTC 22923 LC 561 24323 GC 561

**Analysis Date: 09/01/23****Analyzed By: L Brown****Authorized By: Anthony Fontana,  
Laboratory Director**