



Analytical Resource Laboratories

47-2854223  
520 South 850 East, Suite B3  
Lehi, UT 84043  
801-847-7722  
www.analyticalresource.com  
info@yourqualitylab.com

## Certificate of Analysis

### Client Information

Lost Empire Herbs  
8301 NW 101st Ter. Ste. #1  
Kansas City, MO  
64153 USA  
831-334-0284

### Sample Information

ARL ID: 627818-1  
Date Received: 9/15/2022  
Description: Phoenix Formula  
Lot#: PHNX10021JUL22

| Analysis                         | Method    | †MDL / LOQ | Specification | Results       | UOM | Lab ID |
|----------------------------------|-----------|------------|---------------|---------------|-----|--------|
| Sexual Enhancement Adulterants   | ARL 2.099 |            |               |               |     | 1      |
| Desmethylcarodenafil             | ARL 2.099 | 100        | Record Only   | None Detected | ppm | 1      |
| Sildenafil                       | ARL 2.099 | 100        | Record Only   | None Detected | ppm | 1      |
| Tadalafil                        | ARL 2.099 | 100        | Record Only   | None Detected | ppm | 1      |
| Thioaildenafil (Sulfoaildenafil) | ARL 2.099 | 100        | Record Only   | None Detected | ppm | 1      |
| Vardenafil                       | ARL 2.099 | 100        | Record Only   | None Detected | ppm | 1      |

### Notes:

+Revision: Updated results

Form# arlcoa031201a

Printed on: Sep 15, 2022 1:34 PM

experience • professionalism • value

Released by: Spencer Ashby  
Sep 15, 2022  
Page 1

†**Method Detection Limit (MDL)**: In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None detected", it means any visible growth was below this limit. **Limit of Quantitation (LOQ)**: In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

\* Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.