

47-2854223 520 South 850 East, Suite B3 Lehi, UT 84043 801-847-7722 www.analyticalresource.com info@yourqualitylab.com



Certificate of Analysis

Lost Empire Herbs 8301 NW 101st Ter. Ste. #1

Kansas City, MO 64153 USA 831-334-0284

Client Information

ARL ID: 675022 Date Received: 5/1/2023

Sample Information

Date Received: 5/1/2023 Date Tested: 5/4/2023 Description: Reishi Lot#: BREIS03APR23

Results									
Analysis	Method	[†] MDL / LOQ	Specification	Results	UOM	Lab ID			
Complete Micro Profile, HM	USP, AOAC, ICP- MS					1			
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g	1			
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g	1			
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1			
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1			
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1			
Yeast	USP <2021>	100	Record Only	None Detected	cfu's/g	1			
Mold	USP <2021>	100	Record Only	None Detected	cfu's/g	1			
Heavy Metals	ARL ICPMS 8.016					1			
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	0.439	ppm	1			
Cadmium (Cd)	ARL ICPMS 8.016	0.001	Record Only	0.414	ppm	1			
Mercury (Hg)	ARL ICPMS 8.016	0.001	Record Only	0.007	ppm	1			
Lead (Pb)	ARL ICPMS 8.016	0.001	Record Only	0.093	ppm	1			

[†]Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

[†]Limit of Quantitation (LOQ):

Form: arlcoa031201a Report: 675022 Printed on: 5/4/2023 6:43:06 PM

experience • professionalism • value

Released by: Jacob Teller Date Released: 5/4/2023 Page 1 of 2

This Certificate of Analysis represents data only for the sample provided. It does not constitute a guarantee of quality for the entire production lot.





Results

Analysis	Method	[†] MDL / LOQ	Specification	Results	UOM	Lab ID			
In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it									
means any detected amount was too sma	all to report an exact numbe	er.							

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

ellers flla

Form: arlcoa031201a Report: 675022 Printed on: 5/4/2023 6:43:06 PM experience • professionalism • value