



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.

Southern California Laboratory

6360 Gateway Drive, Cypress, CA 90630

Tel. 877-777-6375 Fax. 714-226-0009

Email: getresults-sw@mxns.com

COA No:	SCA-46128055-0
Supersedes:	None
COA Date	7/3/22
Page 1 of 1	

Received From:	Kansas City, MO
Received Date:	6/24/22

Location of Test: (except where noted)	Cypress, CA
--	-------------

TO:  
 Mr. Zane M. Christopher  
 Director of Quality Assurance  
 Lost Empire Herbs  
 6401 Warner Avenue, Apt#129  
 Huntington Beach, CA 92647

Analytical Results

Laboratory ID: 419703306 Condition Rec'd: NORMAL Temp Rec'd (°C):  
 Sample Name: Schizandra #BSCHIZ15JUN22

Analyte	Result	Units	Method Reference	Test Date	Loc.
* ICP MS Heavy Metals (4 analytes)			AOAC2015.01Mod<2232>	7/2/22	BRN
Arsenic	0.04	ppm (w/w)			
Cadmium	0.001	ppm (w/w)			
Lead	<0.01	ppm (w/w)			
Mercury	<0.005	ppm (w/w)			
E. coli - Enrichment	Negative	/10g	Current USP/NF, 62	6/27/22	
Salmonella - USP	Negative	/10g	Current USP/NF, 2022	6/27/22	
Total Microbial Count - USP	40	/g	Current USP/NF, 61	6/27/22	
Yeast and Mold - USP			Current USP/NF, 61	6/29/22	
Yeast	<10	/g			
Mold	<10	/g			

  
 \_\_\_\_\_  
 Jorge Hernandez Laboratory Director

Noted Test Locations: BRN-Silliker Canada Co. Ltd., 106-8255 North Fraser Way, Burnaby, BC V3N 0B9

I Customer supplied information \* ISO17025 Accredited Analysis † Indicates reason for COA amendment when applicable

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.