CERTIFICATE OF ANALYSIS



12661 HOOVER STREET. GARDEN GROVE, CA 92841 | P. 714-754-4372 | F. 714-668-9972 | WWW.ALKEMIST.COM

Report Issued To: Lost Empire Herbs

8301 NW 101st Ter.

Kansas City MO 64153-2321

Untied States

Sample Name: Sea Buckthorn

Description: Crude plant powder; Ultrafine yellow-orange

powder

Lot #: BSEAB26MAR24 AL #: 24092QSS_1

Analysis ID: 225859 **Received:** 04/01/24

Determination of Pesticide Content by USP <561>

Compound Name Amount (mg/kg) Limit (mg/kg) Acephate* <0.1 0.1 Alachlor ** <0.05 0.05	Pass Pass Pass Pass Pass
Acephate* <0.1 0.1 Alachlor ** <0.05 0.05	Pass Pass
Alachlor ** <0.05 0.05	Pass Pass
	Pass
Aldrin and Dieldrin (sum of) ** <0.05 0.05	Pass
Azinphos Ethyl * <0.1 0.1	
Azinphos Methyl * <1 1	Pass
Bromophos Ethyl ** <0.05 0.05	Pass
Bromophos Methyl ** <0.05 0.05	Pass
Bromopropylate ** <3 3	Pass
Chlordane (sum of <i>cis-</i> , <i>trans-</i> , and oxychlordane) ** <0.05 0.05	Pass
Chlorfenvinphos ** <0.5 0.5	Pass
Chlorpyriphos Ethyl ** <0.2 0.2	Pass
Chlorpyriphos Methyl ** <0.1 0.1	Pass
Chlorthal Dimethyl ** <pre></pre>	Pass
Cyfluthrin (sum of) ** <0.1 0.1	Pass
λ -Cyhalothrin ** <1 1	Pass
Cypermethrin and isomers (sum of) ** <1 1 PDT (sum of a m/ PDT a	Pass
DDT (sum of o,p' -DDE, p,p' -DDE, o,p' -DDT, o,p' -TDE, and p,p' -TDE) ** <1	Pass
Deltamethrin * <0.5 0.5	Pass
Diazinon * <0.5 0.5	Pass
Dichlofluanid * <0.1 0.1	Pass
Dichlorvos * <1 1	Pass
Dicofol ** <0.5 0.5	Pass
Dimethoate and omethoate (sum of) * <0.1 0.1	Pass
Endosulfan (sum of isomers and endosulfan sulphate) ** <3 3	Pass
Endrin ** <0.05 0.05	Pass
Ethion * <2 2	Pass
Etrimphos * <0.05 0.05	Pass
Fenchlorophos (sum of fenchlorophos and fenchlorophos-oxon) ** <0.1 0.1	Pass
Fenitrothion ** <0.5 0.5	Pass
Fenpropathrin * <0.03 0.03	Pass
Fenculfothion (sum of fenculfothion, fenculfothion-oven, fenculfothion-oven	
sulfone, and fensulfothion sulfone) *	Pass
Fenthion (sum of fenthion, fenthion-oven, fenthion-oven sulfone, fenthion-oven	
sulfoxide, fenthion sulfone, and fenthion-sulfoxide) *	Pass
Fenvalerate ** <1.5 1.5	Pass
Flucythrinate ** <0.05 0.05	
	Pass
T-Fluvalinate ** <0.05 0.05	Pass
Fonophos * <0.05 0.05	Pass
Heptachlor (sum of heptachlor, <i>cis</i> -heptachlorepoxide, and <i>trans</i> -	Pass
neptachiorepoxide) **	
Hexachlorobenzene ** <0.1 0.1	Pass
Hexachlorocyclohexane (sum of isomers α -, β -, δ -, and ϵ -) ** <0.3 0.3	Pass
Lindan (γ-hexachlorocyclohexane) ** <0.6 0.6	Pass
Malathion and malaoxon (sum of) * <1 1	Pass
Mecarbam * <0.05 0.05	Pass
Methacriphos * <0.05 0.05	Pass
Methamidophos * <0.05 0.05	Pass
Methidathion * <0.2 0.2	Pass

Analysis Date: 04/08/24 Analyzed By: L Brown Authorized By: Torey French, R&D Analytical Chemist

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report is for the exclusive use of the party who requested the report and not for public dissemination or use by third parties, including for promotional purposes, without the prior written permission of Alkemist Labs. This report provides technical results for a specific sample and the report shall not be altered, modified, supplemented or abstracted in any manner. Any violation of these conditions renders the report and its results void. Pass/Fail decision is based on laboratory results as found.

Page 1 of 3



12661 HOOVER STREET. GARDEN GROVE, CA 92841 | P. 714-754-4372 | F. 714-668-9972 | WWW.ALKEMIST.COM

Compound Name	Amount (mg/kg)	USP <561> Limit (mg/kg)	Result
Methoxychlor **	< 0.05	0.05	Pass
Mirex **	< 0.01	0.01	Pass
Monocrotophos *	< 0.1	0.1	Pass
Parathion-ethyl and paraoxon-ethyl (sum of) *	< 0.5	0.5	Pass
Parathion-methyl and paraoxon-methyl (sum of) **	< 0.2	0.2	Pass
Pendimethalin *	< 0.1	0.1	Pass
Pentachloroanisole **	< 0.01	0.01	Pass
Permethrin and isomers (sum of) **	<1	1	Pass
Phosalone *	< 0.1	0.1	Pass
Phosmet *	< 0.05	0.05	Pass
Piperonyl Butoxide *	<3	3	Pass
Pirimiphos Ethyl *	< 0.05	0.05	Pass
Pirimiphos-methyl (sum of pirimiphos-methyl and N-desethyl-pirimiphos-methyl)**	<4	4	Pass
Procymidone **	< 0.1	0.1	Pass
Profenophos *	< 0.1	0.1	Pass
Prothiophos **	< 0.05	0.05	Pass
Pyrethrum (sum of cinerin I, cinerin II, jasmolin I, jasmolin II, pyrethrin I, and pyrethrin II) \ast	<3	3	Pass
Quinalphos *	< 0.05	0.05	Pass
Quintozene (sum of quintozene, pentachloraniline, and methyl pentachlorphenyl sulfide) **	<1	1	Pass
S-421 **	< 0.02	0.02	Pass
Tecnazene **	< 0.05	0.05	Pass
Tetradifon **	< 0.3	0.3	Pass
Vinclozolin **	< 0.4	0.4	Pass
Bromide, Inorganic (Calculated as Bromide Ion) †	<125	125	Pass
Dithiocarbamates (Expressed as CS ₂) ‡	<2	2	Pass

Chromatographic Conditions (*):

ATM-815-0308 Method:

Chromatographic Instrument: **UPLC**

Ionization Method: **Electrospray Ionization** Mass Spectrometer: Triple Quadrupole, MRM Mode

Chromatographic Conditions ():**

Method: ATM-815-0308

Chromatographic Instrument:

Ionization Method: Atmospheric Pressure Gas Chromatography

Mass Spectrometer: Triple Quadrupole, MRM Mode

Chromatographic Conditions (†):

Method: ATM-815-0308

Chromatographic Instrument: **UPLC**

Ionization Method: Electron Ionization

Mass Spectrometer: Triple Quadrupole, MRM Mode

Chromatographic Conditions (‡):

ATM-815-0308 Method:

Chromatographic Instrument: GC

Ionization Method: **Electron Ionization**

Mass Spectrometer: Triple Quadrupole, SIM Mode

Analysis Date: 04/08/24 Authorized By: Torey French, R&D Analyzed By: L Brown **Analytical Chemist**



12661 HOOVER STREET. GARDEN GROVE, CA 92841 | P. 714-754-4372 | F. 714-668-9972 | WWW.ALKEMIST.COM

Sample Preparation (* and **):

Mixed sample well. Ground to a fine powder or composited the contents of 10 capsules if needed. Transferred 500 mg of sample to a 15 mL centrifuge tube. Added 5.0 mL of extraction solvent and vortexed 30 seconds to mix. Sonicated for 30 minutes at room temperature. Let cool and centrifuged for 5 minutes at 4,000 RPM. Transferred 1 mL of supernatant to a dSPE tube and mixed at 15 Hz for 1 minute. Centrifuged at 10,000 RPM for 2 minutes. Transferred to vials for analysis.

Sample Preparation (†):

Mixed sample well. Ground to a fine powder or composited the contents of 10 capsules if needed. Transferred 500 mg of sample to a 15 mL centrifuge tube. Added 10 mL of extraction solvent. Vortexed 30 seconds to mix. Shook for 30 minutes. Filtered through 0.45 µm PES filter into a vial for analysis.

Sample Preparation (‡):

Mixed sample well. Ground to a fine powder or composited the contents of 10 capsules if needed. Transferred 500 mg of sample to a screw cap vial. Added 2.5 mL of water. Added 1 mL of isooctane. Added 7.5 mL of tin (II) chloride. Closed tightly with a PTFE lined cap. Vortexed 30 seconds. Placed in oven for 2 hours at 80°C, mixing vigorously every 15 minutes. Let cool. Centrifuged if needed and transferred to low actinic vial for analysis.

Report Summary:

Conclusion: This "Sea Buckthorn" test sample meets the limits set forth in USP <561> Pesticide Residue

Analysis.

OOS Reference: N/A
Notes: N/A
Work Instruction Reference: 09324 Br

09424 DTC 09524 LC 561 09624 GC 561

Page 3 of 3