



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.

Cypress, CA Laboratory

6360 Gateway Drive, Cypress, CA 90630

Tel. 877-777-6375 Fax. 714-226-0009

Email: getresults-sw@mxns.com

COA No:	SCA-46503360-0
Supersedes:	None
COA Date	10/26/22
Page 1 of 1	

TO:

Mr. Zane M. Christopher
Director of Quality Assurance
Lost Empire Herbs
6401 Warner Avenue, Apt#129
Huntington Beach, CA 92647

Received From:	Kansas City, MO
Received Date:	10/6/22

Location of Test: (except where noted)	Cypress, CA
--	-------------

Analytical Results

Laboratory ID: 421981138 Condition Rec'd: NORMAL Temp Rec'd (°C): 20

Sample Name: Shilajit Powder

Product Description: Shilajit Powder

Lot Number: BSHILP09SEP22

Analyte	Result	Units	Method Reference	Test Date	Loc.
* ICP MS Heavy Metals (4 analytes)			AOAC2015.01Mod<2232>	10/26/22	BRN
Arsenic	2.92	ppm (w/w)			
Cadmium	0.032	ppm (w/w)			
Lead	0.37	ppm (w/w)			
Mercury	<0.005	ppm (w/w)			
E. coli - Enrichment	Negative	/10g	Current USP/NF, 62	10/9/22	
Salmonella - USP	Negative	/10g	Current USP/NF, 2022	10/9/22	
Total Microbial Count - USP	<10	/g	Current USP/NF, 61	10/9/22	
Yeast and Mold - USP			Current USP/NF, 61	10/11/22	
Yeast	<10	/g			
Mold	<10	/g			


Jorge Hernandez Laboratory Director

Noted Test Locations: BRN-Silliker Canada Co., Burnaby Laboratory, 106-8255 North Fraser Way, Burnaby, BC V3N 0B9

I Customer supplied information * ISO17025 Accredited Analysis † Indicates reason for COA amendment when applicable

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.