



Certificate of Analysis

Client Information

Lost Empire Herbs
8301 NW 101st Ter. Ste. #1
Kansas City, MO 64153
USA
831-334-0284

Sample Information

ARL ID: 738658
Date Received: 4/8/2024
Date Tested: 4/11/2024
Description: Shilajit Powder
Lot#: BSHILP27MAR24

Results

| Analysis | Method | †MDL / LOQ | Specification | Results | UOM | Lab ID |
|-----------------------------------|-------------------|------------|---------------|---------------|-----------|--------|
| <u>Complete Micro Profile, HM</u> | USP, AOAC, ICP-MS | | | | | 1 |
| Total Plate Count | USP <2021> | 100 | Record Only | None Detected | cfu's/g | 1 |
| Coliforms | AOAC 991.14 | 10 | Record Only | None Detected | cfu's/g | 1 |
| E. coli | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Staphylococcus aureus | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Salmonella | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Yeast | USP <2021> | 100 | Record Only | None Detected | cfu's/g | 1 |
| Mold | USP <2021> | 100 | Record Only | None Detected | cfu's/g | 1 |
| <u>Heavy Metals</u> | ARL ICPMS 8.016 | | | | | 1 |
| Arsenic (As) | ARL ICPMS 8.016 | 0.001 | Record Only | 0.571 | ppm | 1 |
| Cadmium (Cd) | ARL ICPMS 8.016 | 0.001 | Record Only | 0.011 | ppm | 1 |
| Mercury (Hg) | ARL ICPMS 8.016 | 0.001 | Record Only | 0.009 | ppm | 1 |
| Lead (Pb) | ARL ICPMS 8.016 | 0.001 | Record Only | 0.067 | ppm | 1 |

†Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):



Results

| Analysis | Method | †MDL / LOQ | Specification | Results | UOM | Lab ID |
|----------|--------|------------|---------------|---------|-----|--------|
|----------|--------|------------|---------------|---------|-----|--------|

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

