

47-2854223 520 South 850 East, Suite B3 Lehi, UT 84043 801-847-7722 www.analyticalresource.com info@yourqualitylab.com



Certificate of Analysis

Client Information

Lost Empire Herbs 8301 NW 101st Ter. Ste. #1 Kansas City, MO 64153

USA

831-334-0284

Sample Information

ARL ID: 702035

Date Received: 10/2/2023 Date Tested: 10/5/2023

Description: Thor's Hammer Formula Capsules

Lot#: 23109

Results									
Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID			
Complete Micro Profile, HM	USP, AOAC, ICP- MS					1			
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g	1			
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g	1			
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1			
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1			
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1			
Yeast	USP <2021>	100	Record Only	None Detected	cfu's/g	1			
Mold	USP <2021>	100	Record Only	None Detected	cfu's/g	1			
Heavy Metals	ARL ICPMS 8.016					1			
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	0.156	ppm	1			
Cadmium (Cd)	ARL ICPMS 8.016	0.001	Record Only	0.025	ppm	1			
Mercury (Hg)	ARL ICPMS 8.016	0.001	Record Only	0.002	ppm	1			
Lead (Pb)	ARL ICPMS 8.016	0.001	Record Only	0.206	ppm	1			

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

Form: arlcoa031201a Report: 702035

Printed on: 10/9/2023 9:29:28 AM

experience • professionalism • value

Spencer Ashby

Released by: Spencer Ashby

Date Released: 10/9/2023

[†]Method Detection Limit (MDL):

[†]Limit of Quantitation (LOQ):



ARL ID: 702035

Description: Thor's Hammer Formula Capsules

Lot: 23109 Serving Size:



R			

Analysis Method [†]MDL / LOQ Specification Results UOM Lab ID

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

Form: arlcoa031201a Report: 702035

Printed on: 10/9/2023 9:29:28 AM

experience • professionalism • value

Spencer Ashby
Released by: Spencer Ashby

Date Released: 10/9/2023