

# CERTIFICATE OF ANALYSIS



12661 HOOVER STREET. GARDEN GROVE, CA 92841 | P. 714-754-4372 | F. 714-668-9972 | WWW.ALKEMIST.COM

**Report Issued To:** Lost Empire Herbs  
8301 NW 101st Ter.  
Kansas City MO 64153-2321  
Untied States

**Sample Name:** Tongkat Ali  
**Description:** Powdered extract; Fine tan powder  
**Lot #:** BTKA23NOV22  
**AL #:** 23079WTJ\_4  
**Analysis ID:** 197140  
**Received:** 03/20/23

## Determination of Pesticide Content by USP <561>

Compound Name	Amount (mg/kg)	USP <561> Limit (mg/kg)	Result
Acephate*	<0.1	0.1	Pass
Alachlor **	<0.05	0.05	Pass
Aldrin and Dieldrin (sum of) **	<0.05	0.05	Pass
Azinphos Ethyl *	<0.1	0.1	Pass
Azinphos Methyl *	N/A	1	NonA
Bromophos Ethyl **	<0.05	0.05	Pass
Bromophos Methyl **	<0.05	0.05	Pass
Bromopropylate **	<3	3	Pass
Chlordane (sum of <i>cis</i> -, <i>trans</i> -, and oxychlordane) **	<0.05	0.05	Pass
Chlorfenvinphos **	<0.5	0.5	Pass
Chlorpyrifos Ethyl **	<0.2	0.2	Pass
Chlorpyrifos Methyl **	<0.1	0.1	Pass
Chlorthal Dimethyl **	<0.01	0.01	Pass
Cyfluthrin (sum of) **	<0.1	0.1	Pass
λ-Cyhalothrin **	<1	1	Pass
Cypermethrin and isomers (sum of) **	<1	1	Pass
DDT (sum of <i>o,p'</i> -DDE, <i>p,p'</i> -DDE, <i>o,p'</i> -DDT, <i>p,p'</i> -DDT, <i>o,p'</i> -TDE, and <i>p,p'</i> -TDE) **	<1	1	Pass
Deltamethrin *	<0.5	0.5	Pass
Diazinon *	<0.5	0.5	Pass
Dichlofluanid *	<0.1	0.1	Pass
Dichlorvos *	N/A	1	NonA
Dicofol **	<0.5	0.5	Pass
Dimethoate and omethoate (sum of) *	<0.1	0.1	Pass
Endosulfan (sum of isomers and endosulfan sulphate) **	<3	3	Pass
Endrin **	<0.05	0.05	Pass
Ethion *	<2	2	Pass
Etrimphos *	<0.05	0.05	Pass
Fenchlorophos (sum of fenchlorophos and fenchlorophos-oxon) **	<0.1	0.1	Pass
Fenitrothion **	<0.5	0.5	Pass
Fenpropathrin *	<0.03	0.03	Pass
Fensulfothion (sum of fensulfothion, fensulfothion-oxon, fensulfothion-oxon sulfone, and fensulfothion sulfone) *	N/A	0.05	NonA
Fenthion (sum of fenthion, fenthion-oxon, fenthion-oxon sulfone, fenthion-oxon sulfoxide, fenthion sulfone, and fenthion-sulfoxide) *	<0.05	0.05	Pass
Fenvalerate **	<1.5	1.5	Pass
Flucythrinate **	<0.05	0.05	Pass
τ-Fluvalinate **	<0.05	0.05	Pass
Fonophos *	<0.05	0.05	Pass
Heptachlor (sum of heptachlor, <i>cis</i> -heptachlorepoxyde, and <i>trans</i> -heptachlorepoxyde) **	<0.05	0.05	Pass
Hexachlorobenzene **	<0.1	0.1	Pass
Hexachlorocyclohexane (sum of isomers α-, β-, δ-, and ε-) **	<0.3	0.3	Pass
Lindan (γ-hexachlorocyclohexane) **	<0.6	0.6	Pass
Malathion and malaoxon (sum of) *	<1	1	Pass
Mecarbam *	<0.05	0.05	Pass
Methacriphos *	N/A	0.05	NonA
Methamidophos *	<0.05	0.05	Pass
Methidathion *	N/A	0.2	NonA
Methoxychlor **	<0.05	0.05	Pass

**Analysis Date:** 03/30/23

**Analyzed By:** L Brown

**Authorized By:** Anthony Fontana,  
Laboratory Director

Compound Name	Amount (mg/kg)	USP <561> Limit (mg/kg)	Result
Mirex **	<0.01	0.01	Pass
Monocrotophos *	<0.1	0.1	Pass
Parathion-ethyl and paraoxon-ethyl (sum of) *	<0.5	0.5	Pass
Parathion-methyl and paraoxon-methyl (sum of) **	<0.2	0.2	Pass
Pendimethalin *	<0.1	0.1	Pass
Pentachloroanisole **	<0.01	0.01	Pass
Permethrin and isomers (sum of) **	<1	1	Pass
Phosalone *	<0.1	0.1	Pass
Phosmet *	N/A	0.05	NonA
Piperonyl Butoxide *	<3	3	Pass
Pirimiphos Ethyl *	<0.05	0.05	Pass
Pirimiphos-methyl (sum of pirimiphos-methyl and <i>N</i> -desethyl-pirimiphos-methyl)**	<4	4	Pass
Procymidone **	<0.1	0.1	Pass
Profenophos *	<0.1	0.1	Pass
Prothiophos **	<0.05	0.05	Pass
Pyrethrum (sum of cinerin I, cinerin II, jasmolin I, jasmolin II, pyrethrin I, and pyrethrin II) *	<3	3	Pass
Quinalphos *	<0.05	0.05	Pass
Quintozene (sum of quintozene, pentachloroaniline, and methyl pentachlorophenyl sulfide) **	<1	1	Pass
S-421 **	<0.02	0.02	Pass
Tecnazene **	<0.05	0.05	Pass
Tetradifon **	<0.3	0.3	Pass
Vinclozolin **	<0.4	0.4	Pass
Bromide, Inorganic (Calculated as Bromide Ion) †	<125	125	Pass
Dithiocarbamates (Expressed as CS <sub>2</sub> ) ‡	<2	2	Pass

**Chromatographic Conditions (\*):**

Method: ATM-815-0308  
 Chromatographic Instrument: UPLC  
 Ionization Method: Electrospray Ionization  
 Mass Spectrometer: Triple Quadrupole, MRM Mode

**Chromatographic Conditions (\*\*):**

Method: ATM-815-0308  
 Chromatographic Instrument: GC  
 Ionization Method: Atmospheric Pressure Gas Chromatography  
 Mass Spectrometer: Triple Quadrupole, MRM Mode

**Chromatographic Conditions (†):**

Method: ATM-815-0308  
 Chromatographic Instrument: GC  
 Ionization Method: Electron Ionization  
 Mass Spectrometer: Triple Quadrupole, SIM Mode

**Chromatographic Conditions (‡):**

Method: ATM-815-0308  
 Chromatographic Instrument: GC  
 Ionization Method: Electron Ionization  
 Mass Spectrometer: Triple Quadrupole, SIM Mode

**Analysis Date: 03/30/23**
**Analyzed By: L Brown**
**Authorized By: Anthony Fontana,  
Laboratory Director**

**Sample Preparation (\* and \*\*):**

Mixed sample well. Ground to a fine powder or composited the contents of 10 capsules if needed. Transferred 500 mg of sample to a 15 mL centrifuge tube. Added 5.0 mL of extraction solvent and vortexed 30 seconds to mix. Sonicated for 30 minutes at room temperature. Let cool and centrifuged for 5 minutes at 4,000 RPM. Transferred 1 mL of supernatant to a dSPE tube and mixed at 15 Hz for 1 minute. Centrifuged at 10,000 RPM for 2 minutes. Transferred to vials for analysis.

**Sample Preparation (†):**

Mixed sample well. Ground to a fine powder or composited the contents of 10 capsules if needed. Transferred 500 mg of sample to a 15 mL centrifuge tube. Added 4 mL of extraction solvent. Added 2.5 mL of 5% propylene oxide. Vortexed 30 seconds to mix. Let stand at room temperature for 1 hour, shaking vigorously every 15 minutes. Added 3 mL of ethyl acetate and 2 g of ammonium sulfate. Shook for 1 minute and let sit for 10 minutes. Shook for an additional minute and let sit for an additional 10 minutes. Centrifuged if necessary and transferred organic layer to a vial for analysis.

**Sample Preparation (±):**

Mixed sample well. Ground to a fine powder or composited the contents of 10 capsules if needed. Transferred 500 mg of sample to a screw cap vial. Added 2.5 mL of water, 1 mL of isoctane, and 7.5 mL of tin (II) chloride in hydrochloric acid. Closed tightly with a PTFE lined cap. Vortexed for 30 seconds to mix. Heated in oven for 2 hours, mixing vigorously every 15 minutes. Let cool, centrifuged at 2,000 RPM if needed, and transferred into a vial for analysis.

**Report Summary:**

Conclusion:	This "Tongkat Ali" test sample meets the limits set forth in USP <561> Pesticide Residue Analysis for all analyzable pesticides.
OOS Reference:	N/A
Notes:	NonA = Non-Analyzable. A pesticide is reported as 'non-analyzable' when after standard addition the resulting analysis did not meet the quality acceptance criteria due to chromatographic interferences from the sample matrix.
Work Instruction Reference:	08023 DTC 08123 LC 561 08223 GC 561 08823 Br

**Analysis Date: 03/30/23****Analyzed By: L Brown****Authorized By: Anthony Fontana,  
Laboratory Director**