

💽 A Tentamus Company

47-2854223 520 South 850 East, Suite B3 Lehi, UT 84043 801-847-7722 www.analyticalresource.com info@yourqualitylab.com

Client Information

Lost Empire Herbs 8301 NW 101st Ter. Ste. #1 Kansas City, MO 64153 USA 831-334-0284

Certificate of Analysis

Sample Information

ARL ID: 744134 Date Received: 5/6/2024 Date Tested: 5/9/2024 Description: Tongkat Ali Spagyric TIncture Lot#: EL1123

Results									
Analysis	Method	[†] MDL / LOQ	Specification	Results	UOM	Lab ID			
Complete Micro Profile Pseudo, HM	USP, AOAC, ICP- MS					1			
Total Plate Count	USP <2021>	10	Record Only	300	cfu's/g	1			
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g	1			
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1			
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1			
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1			
Pseudomonas aeruginosa	USP <62>	Absent	Record Only	Absent	cfu's/g	1			
Yeast	USP <2021>	10	Record Only	None Detected	cfu's/g	1			
Mold	USP <2021>	10	Record Only	None Detected	cfu's/g	1			
Heavy Metals	ARL ICPMS 8.016					1			
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	< 0.001	ppm	1			
Cadmium (Cd)	ARL ICPMS 8.016	0.001	Record Only	0.002	ppm	1			
Mercury (Hg)	ARL ICPMS 8.016	0.001	Record Only	0.002	ppm	1			
Lead (Pb)	ARL ICPMS 8.016	0.001	Record Only	0.008	ppm	1			

[†]Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible

Form: arlcoa031201a Report: 744134 Printed on: 5/13/2024 8:32:32 AM experience • professionalism • value

Spencer Ash Released by: Spencer Ashby

Released by: Spencer Ashby Date Released: 5/13/2024

This Certificate of Analysis (COA) represents data only for the sample provided and is valid only in conjunction with the provided QR code. It does not constitute a guarantee of quality for the entire production lot. This COA shall not be reproduced, except in its entirety. Amendments to this COA shall be made only by ARL through written requests by the Client to whom this COA is issued. As a confirmation of validity, the above-provided QR code links to this exact COA on ARL servers. Its absence signals potential alterations.

Page 1 of 2







Results

Analysis	Method	[†] MDL / LOQ	Specification	Results	UOM	Lab ID

growth was below this limit.

[†]Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

Form: arlcoa031201a Report: 744134 Printed on: 5/13/2024 8:32:32 AM experience • professionalism • value

Spencer Appley Released by: Spencer Ashby

Date Released: 5/13/2024

Page 2 of 2

This Certificate of Analysis (COA) represents data only for the sample provided and is valid only in conjunction with the provided QR code. It does not constitute a guarantee of quality for the entire production lot. This COA shall not be reproduced, except in its entirety. Amendments to this COA shall be made only by ARL through written requests by the Client to whom this COA is issued. As a confirmation of validity, the above-provided QR code links to this exact COA on ARL servers. Its absence signals potential alterations.